



# CLAY PAVERS

KERAMOS TILE & STONE



# KERAMOS TERRA ROSSA


MADE OF COARSE POROUS CLAY AND FIRED TO COLORS RANGING FROM A DULL OCHRE TO FIRE RED, TERRA ROSSA PAVERS ARE PERFECT TO GIVE AN EARTHY FEEL TO YOUR SPACE.





**RUST**

UNIFORMLY BLOOD  
RED FIRE BRICKS






























# ROSSO

FIRE BRICKS WITH  
RED AND ORANGE  
TONES































**OCHRE**

EARTHY YELLOW  
FIRE BRICKS






























# SHAPES

OGEE, HEXAGON,  
OCTAGON,  
SQUARE, PICKET

























# Terra Rossa Specifications

ITEM	ROSSO	RUST	OCHRE
SIZES (mm)	200 x 200, 112.5 x 225	200 x 200, 112.5 x 225, 150 x 150.	200 x 200, 112.5 x 225, 300 x 300
Thickness (mm)	35	35	35
SHAPES	brick, square, ogee, hexagon, octagon, square/picket	brick, square	brick, square
PRICE (Rs/SqFt)	square 425 brick 425 shapes 525-625	square 425 brick 425	square 425 brick 425
MOQ Sqft	2500	500	500
Surface	Matte	Matte	Matte
Outdoor/Indoor	O/I	O/I	O/I
Size Variation	+/- 2%	+/- 2%	+/- 2%
Private Driveway	Y	Y	Y
Surface Porosity	Above 15%	Above 15%	Above 15%
Sealing Required	Y	Y	Y
Glazed	N	N	N
Abrasion Resistance	Low	Low	Low
Color Variation	High	High	High
Vertical Cladding	Y	Y	Y
Delivery Time	8-12 Weeks	6-8 Weeks	6-8 Weeks
Payment Terms	100% Advance	100% Advance	100% Advance



# KERAMOS TUSCANY TERRACOTTA

MADE OF COARSE POROUS CLAY AND FIRED TO A HIGH STRENGTH, TUSCANY TERRACOTTA TILES COME WITH A SMOOTH FINISH AND IN ORANGE TONES. THEY ARE PERFECT FOR INDOORS AND OUTDOORS DUE TO THEIR DURABILITY AND VERSATILITY.


























































# Tuscany Terracotta Specifications

ITEM	Tuscany Terracotta
SIZES (mm)	225 x 225, 300 x 300
Thickness (mm)	18
SHAPES	Square
PRICE (Rs/SqFt)	625 (Freight & Transportation Extra at Actuals)
MOQ Sqft	500
Surface	Smooth
Outdoor/Indoor	O/I
Size Variation	+/- 2%
Private Driveway	Y
Surface Porosity	10%
Sealing Required	Y
Glazed	N
Abrasion Resistance	Very Low
Color Variation	Medium
Vertical Cladding	Y
Delivery Time	6-8 Weeks
Payment Terms	100% Advance



# KERAMOS SPANISH TERRACOTTA

MADE OF COARSE POROUS CLAY AND FIRED TO A HIGH STRENGTH, SPANISH TERRA COTTA TILES ARE ROUGH TO THE TOUCH AND IN REDDISH TONES. THEY PERFECT FOR INDOORS AND OUTDOORS DUE TO THEIR DURABILITY AND VERSATILITY.



































# Spanish Terracotta Specifications

ITEM	Tuscany Terracotta
SIZES (mm)	200 x 200
Thickness (mm)	25
SHAPES	Square
PRICE (Rs/SqFt)	425 (Freight & Transportation Extra at Actuals)
MOQ Sqft	500
Surface	Rough
Outdoor/Indoor	O/I
Size Variation	+/- 2%
Private Driveway	Y
Surface Porosity	10%
Sealing Required	Y
Glazed	N
Abrasion Resistance	Very Low
Color Variation	Medium
Vertical Cladding	Y
Delivery Time	6-8 Weeks
Payment Terms	100% Advance



# **KERAMOS AMALFI**


TERRACOTTA  
CERAMIC TILE THAT  
CAN BE CUT INTO  
VARIOUS SHAPES  
AND DESIGNS. VERY  
VERSATILE






























# Amalfi Specifications

ITEM	Tuscany Terracotta
SIZES (mm)	Depends on Shape
Thickness (mm)	6-8mm
SHAPES	Any
PRICE (Rs/SqFt)	625-1200 (Freight & Transportation Extra at Actuals)
MOQ Sqft	100
Surface	Semi Glossy
Outdoor/Indoor	O/I
Size Variation	+/- 2%
Private Driveway	N
Surface Porosity	Very Low
Sealing Required	N
Glazed	Y
Abrasion Resistance	Low
Color Variation	High
Vertical Cladding	Y
Delivery Time	6-8 Weeks
Payment Terms	100% Advance



# KERAMOS SALAMANCA

EXTRUDED CLAY  
SLATS IN MANY  
COLOUR AND SIZE  
OPTIONS.

























































































# Salamanca Specifications

ITEM	Tuscany Terracotta
SIZES (mm)	25 x 150, 37 x 150, 50 x 225, 75 x 225, 50 x 150
Thickness (mm)	15
SHAPES	Rectangle
PRICE (Rs/SqFt)	425(Freight & Transportation Extra at Actuals)
MOQ Sqft	500
Surface	Rough
Outdoor/Indoor	O/I
Size Variation	+/- 2%
Private Driveway	Y
Surface Porosity	10%
Sealing Required	Y
Glazed	N
Abrasion Resistance	High
Color Variation	Medium
Vertical Cladding	Y
Delivery Time	6-8 Weeks
Payment Terms	100% Advance



## Terms & Conditions

Cheques/ Drafts to be made in the name of "Keramos Tile and stone Pvt.Ltd."

Natural material & hand decorated tiles will have colour variation in every lot.

Material will be delivered only after receiving full payment.

Delivery will be made only after realization of cheque payment

Delivery will be made Ex-Keramos godown only-Local cartage extra.

Goods once sold cannot be exchanged or returned.

All disputes are subject to Delhi jurisdiction only.



## Keramos Tile & Stone Pvt. Ltd

F-580, Lado Sarai, New Delhi – 110 030, INDIA (Next to ShantiVijay Jewellers) , Tel : 011 29523534, 41665102,

Email: [delhi@keramosindia.com](mailto:delhi@keramosindia.com),  
[marketing@keramosindia.com](mailto:marketing@keramosindia.com)

Contact: Ravindran 9810385142, R.Anand  
09818663525,