



Loft cement surface

by Keramos Tile & Stone

What is Keramos Loft polished cement?

KERAMOS LOFT is a self-drying, trowel applied finish for walls and ceilings. Formulated with a blend of Portland cement and special polymers, the material exhibits excellent properties and hardens quickly. It has excellent adhesion over a wide variety of porous surfaces, including concrete, and all types of masonry surfaces. KERAMOS LOFT can be used to produce a high-end and contemporary creative cement wall surface in areas such as retail stores, shops, hotels, cafés, vestibules, and residential applications.

For Bathrooms







Bedrooms





Living Areas





Feature spaces







Kitchens





Specifications

| Description | Specification |
|------------------|---|
| Application | Interior and Covered Exterior Wall and Ceiling |
| Substrate | (a) Reinforced Concrete (b) Cement Mortar Plaster (c) Plaster of Paris |
| Color | Light & Dark Grey |
| Properties | Portland Cement Based with Polymer additive |
| Options | Can also be designed with grooves, dividers, studs. |
| Use | Commercial, Residential & Retail (Only Dry Areas) |
| Thickness | 1mm to 4mm |
| Finish | Smooth, tonal variation, natural low sheen. |
| Curing | Seven Days |
| Properties | Fast Setting, Self Drying, Excellent Adhesion to many surfaces |
| Minimum Quantity | Outside NCR 2000 sqft. No restriction within NCR. |
| Price | Price on Request |

Product displayed at :

Keramos Tile & Stone Pvt.Ltd

F-580, Lado Sarai / New Delhi-110030, INDIA (Next to Crescent
Mall/ CNG Pump), Tel : 011 41665102,46032765

Email: marketing@keramosindia.com , delhi@keramosindia.com
keramos@keramosindia.com

Contact : RAVINDRAN 09810385142, R.ANAND 09818663525

For further information please visit www.keramosindia.com